



GSI SLV  
Future Rundbuehaller ApS  
Grimlundvej 5  
6880 Tarm  
15  
SLVHa-EN1090-2.00350.2014.001  
EN 1090-1+A1, 2012

**Project - Components:** Movable shelter for livestock.  
The shelter must be secured in the case of a storm.

**Declaration of Performance No.:** 0500 FIN  
**Tolerances on geometrical data:** DS/EN 1090-2 + A1:2011  
**Special tolerances:** Ingen  
**Weldability:** S235J0, EN 10025  
**Fracture toughness:** 27 J ved 0°C  
**Reaction to fire: Material classified:** A1  
**Release of cadmium:** The material is manufactured in compliance with an EN standard  
**Emission of radioactivity:** The material is manufactured in compliance with an EN standard  
**Durability:** Primer coated by dip painting with out processing.  
Paint type Onecoat. Corrosion class not specified.

**Structural Characteristics:**  
**Load bearing capacity:** NPD  
**Deformation at serviceability limit state:** NPD  
**Fatigue strength:** NPD  
**Resistance to fire:** NPD  
**Manufacturing:** Drawing 0500, EN 1090-2, EXC2

Projekt nummer 0500 FIN



## Declaration of Performance

No.: 0500 FIN

### IDENTIFICATION

**Product Type:** Structural steelwork construction components and/or kits for use in buildings and civil engineering works

**2. Product Identification:** Model 0500-000 + 0500-040 + 0500-090 + 0500-500

**3. Intended Use** Movable shelter for livestock.  
The shelter must be secured in the case of a storm.

**4. Manufacturer:** Future Rundbuehaller ApS  
Grimlundvej 5  
6880 Tarm

**Authorized Person:** BILA AB  
Överbyvägen 115  
22150 Jomala (Åland)

### CERTIFICATION

**6. System of assessment and verification of constancy of performance (AVCP)** 2+

**7. Notified body:** GSI SLV

**Harmonized technical standard:** EN 1090-1+A1, 2012

**Certificate No.:** SLVHa-EN1090-2.00350.2014.001

### DECLARED PERFORMANCE

#### 8. Declared performance

**Declared performance to harmonized technical standard:** EN 1090-1+A1, 2012

Essential Characteristics	Performance
<b>Tolerances on geometrical data:</b>	DS/EN 1090-2 + A1:2011
<b>Special Tolerances:</b>	Ingen
<b>Weldability:</b>	S235J0, EN 10025
<b>Fracture toughness:</b>	27 J ved 0°C
<b>Load bearing capacity:</b>	NPD
<b>Deformation at serviceability limit state:</b>	NPD
<b>Fatigue strength:</b>	NPD
<b>Resistance to fire:</b>	NPD
<b>Reaction to fire: Material classified:</b>	A1
<b>Release of cadmium:</b>	The material is manufactured in compliance with an EN standard
<b>Emission of radioactivity:</b>	The material is manufactured in compliance with an EN standard

**Durability:**

Primer coated by dip painting with out processing.  
Paint type Onecoat. Corrosion class not specified.

---

**CERTIFICATION**

---

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name and function Per Dalager Sørensen, Fabrikant

Place and date of issue 18-9-2015 Høven

---

Signature Per D. Sørensen

---